



Innovator and Manufacturer of LED Lighting

### Bestar LED (/HID) Work Lamp&Bar Price List 20170801

www.BestarLEDs.com Tel:0086-755-23573879/15986727215 Email:sales@bestarleds.com

No.	Item Description	Image	Beam Angle	Color	Lumen	Unit Price/pcs	≥20 pcs Price	Size&Weight
BST-WL001	5*3W Epistar WL 9-30V		Flood	6000K White	1150LM	US\$6.20	US\$6.00	Size:128* 110* 41mm NW:0.65kg/pcs
BST-WL002	5*3W Epistar WL 9-30V		Spot	6000K White	1150LM	US\$6.20	US\$6.00	Size:128* 110* 41mm NW:0.65kg/pcs
BST-WL003	6*3W Epistar WL 9-30V		Flood	6000K White	1350LM	US\$6.50	US\$6.20	Size:128* 110* 43mm NW:0.57kg/pcs
BST-WL004	6*3W Epistar WL 9-30V		Spot	6000K White	1350LM	US\$6.50	US\$6.20	Size:128* 110* 43mm NW:0.57kg/pcs
BST-WL005	8*3W Epistar WL 9-30V		Flood or Spot	6000K White	1600LM	US\$7.20	US\$7.00	Size:128* 110* 45mm NW:0.59kg/pcs
BST-WL006	8*3W Epistar WL 9-30V		Flood or Spot	6000K White	1600LM	US\$7.20	US\$7.00	Size:128* 110* 45mm NW:0.59kg/pcs
BST-WL007	9*3W Epistar WL 9-30V		Flood or Spot	6000K White	1800LM	US\$8.00	US\$7.60	Size:128* 110* 58mm NW:0.78kg/pcs
BST-WL008	9*3W Epistar WL 9-30V		Flood or Spot	6000K White	1800LM	US\$8.00	US\$7.60	Size:128* 110* 58mm NW:0.78kg/pcs
BST-WL009	5*3W Epistar 5.5" WL 9-30V		Spot	6000K White	1150LM	US\$6.80	US\$6.00	Size:145* 78* 45mm NW:0.58kg/pcs Have White/Black Shells
BST-WL010	6*3W Epistar WL 9-30V		Flood	6000K White	1350LM	US\$6.80	US\$6.00	Size:160* 68* 51mm NW:0.58kg/pcs Have White/Black Shells
BST-WL011	6*3W Epistar WL 9-30V		Flood	6000K White	1350LM	US\$7.00	US\$6.60	Size:110* 60* 56mm NW:0.59kg/pcs
BST-WL012	3*3W Epistar WL 9-30V		Spot	6000K White	700LM	US\$6.20	US\$6.00	Size:110* 60* 56mm NW:0.59kg/pcs







BST-HID-WL-003 HID Worklamp & Search-Lamp with Remote		3000K-12000K	US\$46.00	US\$44.00	Size: 185*185*185mm NW: 6kg/pcs GW: 7kg/pcs
BST-HID-WL-004		3000K-12000K	US\$12.50	US\$12.00	Size: 128*143*154mm NW: 12kg/pcs GW: 13kg/pcs
BST-HID-WL-005		3000K-12000K	US\$15.00	US\$14.50	Size: 205*155*250mm NW: 6kg/pcs GW: 7kg/pcs
BST-HID-WL-006		3000K-12000K	US\$15.00	US\$14.50	Size: 162*85*220mm NW: 12kg/pcs GW: 13kg/pcs
BST-HID-WL-007		3000K-12000K	US\$15.00	US\$14.50	Size: 205*155*250mm NW: 6kg/pcs GW: 7kg/pcs
BST-HID-WL-008		3000K-12000K	US\$15.00	US\$14.50	Size: 205*155*250mm NW: 6kg/pcs GW: 7kg/pcs
BST-HID-WL-009		3000K-12000K	US\$12.50	US\$12.00	Size: 132*115*190mm NW: 8kg/pcs GW: 9kg/pcs
BST-HID-WL-010		3000K-12000K	US\$12.50	US\$12.00	Size: 132*115*190mm NW: 8kg/pcs GW: 9kg/pcs
BST-HID-WL-011		3000K-12000K	US\$24.00	US\$23.00	Size: 245*180*245mm NW: 6.5kg/pcs GW: 8.5kg/pcs
BST-HID-WL-012		3000K-12000K	US\$22.00	US\$20.00	Size: 115*160*160mm NW: 12kg/pcs GW: 13kg/pcs
BST-HID-WL-013		3000K-12000K	US\$24.00	US\$23.00	Size: 145*175*140mm NW: 12kg/pcs GW: 13kg/pcs
BST-HID-WL-014		3000K-12000K	US\$24.00	US\$23.00	Size: 220*138*235mm NW: 6.8kg/pcs GW: 8.5kg/pcs
BST-HID-WL-015		3000K-12000K	US\$23.00	US\$22.50	Size: 245*180*245mm NW: 6.5kg/pcs GW: 8.5kg/pcs

BST-HID-WL-016		3000K-12000K	US\$17.50	US\$16.00	Size:245*180*245mm NW:6.5kg/pcs GW:8.5kg/pcs
BST-HID-WL-017		3000K-12000K	US\$14.00	US\$13.00	Size:175*130*220mm NW:6kg/pcs GW:7kg/pcs
BST-HID-WL-018		3000K-12000K	US\$29.00	US\$28.00	Size:520*270*600mm NW:8kg/pcs GW:9kg/pcs
BST-HID-WL-019		3000K-12000K	US\$27.00	US\$26.00	Size:400*390*535mm NW:8kg/pcs GW:9kg/pcs
BST-HID-WL-020		3000K-12000K	US\$24.00	US\$23.00	Size:390*330*495mm NW:8kg/pcs GW:9kg/pcs
BST-HID-WL-021		3000K-12000K	US\$28.00	US\$26.00	Size:520*270*600mm NW:8kg/pcs GW:9kg/pcs
BST-HID-WL-022		3000K-12000K	US\$26.00	US\$24.00	Size:400*390*535mm NW:8kg/pcs GW:9kg/pcs
BST-HID-WL-023		3000K-12000K	US\$23.00	US\$21.00	Size:390*330*495mm NW:8kg/pcs GW:9kg/pcs
BST-HID-WL-024		3000K-12000K	US\$16.00	US\$14.00	Size:190*150*190mm NW:6kg/pcs GW:7kg/pcs
BST-HID-WL-025		3000K-12000K	US\$18.00	US\$16.00	Size:160*135*185mm NW:6kg/pcs GW:7kg/pcs

**Remarks:** 1)The lamps install H3 HID bulb;HID bulbs & ballasts are not included in above quotations.

2) 12V/35W Bulb&ballast 12USD more; 24V/35W Bulb&ballast 14USD more

3) 12V/55W Bulb&ballast 14USD more; 24V/55W Bulb&ballast 15USD more



4) 12V/75W Bulb&ballast 16USD more; 24V/75W Bulb&ballast 17USD more

5) 12V/100W Bulb&ballast 22USD more ; 24V/100W Bulb&ballast 23USD more

6) 3000K and 12000K color temperature bulb is 1.5USD more

## LED Bar

BST-B088	Cree 6*10W with background light		US\$36.00	QTY: PCS/CTN G.W.:KG/PCS Ctn Size: 52*27*32CM Lamp Size:420*80*90mm
BST-B089	Cree 9*10W with background light		US\$46.00	QTY: PCS/CTN G.W.:KG/PCS Ctn Size: 64*27*32CM Lamp Size:540*80*90mm
BST-B090	Cree 12*10W with background light		US\$58.00	QTY: PCS/CTN G.W.:KG/PCS Ctn Size: 76*27*32CM Lamp Size:660*80*90mm

BST-B091	Cree 15*10W with background light		1.10W each CREE LED 2.Operating Voltage: 10-30 DC; 3.Current draw change with your working Voltage and the power 4.Waterproof rate: IP 67; 5.Color Temperature: 6000K; 6.Beam: Spot beam 7.Body Color: Black; 8.Material: Diecast aluminum housing; 9.Lens material:PC, 10.Mounting Bracket:Stainless steel bracket 11.Life time:50000+ hours 12.Background color: white/blue/red/green/amber	US\$69.00	QTY: PCS/CTN G.W.:KG/PCS Ctn Size: 88*27*32CM Lamp Size:780*80*90mm
BST-B092	Cree 18*10W with background light			US\$81.00	QTY: PCS/CTN G.W.:KG/PCS Ctn Size: Lamp Size:900*80*90mm
BST-B093	Cree 21*10W with background light			US\$92.00	QTY: PCS/CTN G.W.:KG/PCS Ctn Size: 112*27*32CM Lamp Size:1030*80*90mm
BST-B094	Cree 24*10W with background light			US\$102.00	QTY: PCS/CTN G.W.:KG/PCS Ctn Size: 124*27*32CM Lamp Size:1040*80*90mm
BST-B095	Cree 27*10W with background light			US\$115.00	QTY: PCS/CTN G.W.:KG/PCS Ctn Size: 136*27*32CM Lamp Size:1260*80*90mm
BST-B096	Cree 30*10W with background light			US\$125.00	QTY: PCS/CTN G.W.:KG/PCS Ctn Size: 136*27*32CM Lamp Size:1260*80*90mm
BST-B097	Cree 8*5W with background light			US\$28.00	QTY: PCS/CTN G.W.:KG/PCS Ctn Size: 47*31*35CM Lamp Size:385*60*80mm
BST-B098	Cree 12*5W with background			US\$35.00	QTY: PCS/CTN G.W.:KG/PCS Ctn Size: 57*31*35CM Lamp Size:487*60*80mm
BST-B099	Cree 16*5W with background			US\$41.00	QTY: PCS/CTN G.W.:KG/PCS Ctn Size: 67*31*35CM Lamp Size:590*60*80mm
BST-B100	Cree 20*5W with background		1.5W each CREE LED 2.Operating Voltage: 10-30 DC; 3.Current draw change with your working Voltage and the power 4.Waterproof rate: IP 67; 5.Color Temperature: 6000K; 6.Beam: Spot beam 7.Body Color: Black; 8.Material: Diecast aluminum housing; 9.Lens material:PC, 10.Mounting Bracket:Stainless steel bracket 11.Life time:50000+ hours 12.Background color: white/blue/red/green/amber	US\$46.00	QTY: PCS/CTN G.W.:KG/PCS Ctn Size: 77.5*21*35CM Lamp Size:690*60*80mm
BST-B101	Cree 24*5W with background			US\$54.00	QTY: PCS/CTN G.W.:KG/PCS Ctn Size: 87.5*21*35CM Lamp Size:790*60*80mm
BST-B102	Cree 32*5W with background			US\$67.00	QTY: PCS/CTN G.W.:KG/PCS Ctn Size: 108*21*24CM Lamp Size:1100*60*80mm
BST-B103	Cree 36*10W with background			US\$71.00	QTY: PCS/CTN G.W.:KG/PCS Ctn Size: 118*21*24CM Lamp Size:1200*60*80mm
BST-B104	Cree 44*10W with background			US\$86.00	QTY: PCS/CTN G.W.:KG/PCS Ctn Size: 118*21*24CM Lamp Size:1200*60*80mm
BST-B105	Cree 6*5W with Halo Ring			US\$28.00	QTY: 6 PCS/CTN G.W.:1.58KG/PCS Box Size: 32*14*15.5cm Ctn Size: 33.6*29.6*48.4CM Lamp Size:215*85*100mm
BST-B106	Cree 12*5W with Halo Ring			US\$45.00	QTY: 6PCS/CTN G.W.:2.38KG/PCS Box Size: 47.5*14*15.5CM Ctn Size: 49.5*29.6*48.4 CM Lamp Size: 374*85*100mm
BST-B107	Cree 18*5W with Halo Ring			US\$60.00	QTY: 6PCS/CTN G.W.:3.2KG/PCS Box Size: 63.5*14*15.5CM Ctn Size: 65.3*29.6*48.4 CM Lamp Size: 532*85*100mm
BST-B108	Cree 30*5W with Halo Ring		1.5W each CREE LED 2.Operating Voltage: 10-30 DC; 3.Current draw change with your working Voltage and the power 4.Waterproof rate: IP 67; 5.Color Temperature: 6000K; 6.Beam: Spot beam 7.Body Color: Black;	US\$73.00	QTY: 6PCS/CTN G.W.:3.2KG/PCS Box Size: 63.5*14*15.5CM Ctn Size: 65.3*29.6*48.4 CM




			7.Body Color: black; 8.Material: Diecast aluminum housing; 9.Lens material:PC, 10.Mounting Bracket:Stainless steel bracket 11.Life time:50000+ hours 12.Halo Ring Color: white/blue/red/green/amber (Regular halo ring color is white, other colors have MOQ requirements ) Flashing (3 type)		Lamp Size: 532*85*100mm
BST-B109	Cree 26*5W with Halo Ring			US\$92.00	QTY: 6PCS/CTN G.W.:.4.6KG/PCS Box Size: 95*14*15.5CM Ctn Size: 96.9*29.6*32.6 CM Lamp Size: 848*85*100mm
BST-B110	Cree 42*5W with Halo Ring			US\$108.00	QTY: 6PCS/CTN G.W.:.5.4KG/PCS Box Size: 111*14*15.5CM Ctn Size: 112.8*29.6*32.6 CM Lamp Size: 1007*85*100mm
BST-B111	Cree 36*5W with Halo Ring			US\$124.00	QTY: 6PCS/CTN G.W.:.6.2KG/PCS Box Size: 127*14*15.5CM Ctn Size: 128.6*29.6*32.6 CM Lamp Size: 1165*85*100mm
BST-B112	Cree 48*5W with Halo Ring			US\$140.00	QTY: 6PCS/CTN G.W.:.7.3KG/PCS Box Size: 142.5*14*15.5CM Ctn Size: 144.5*29.6*32.6 CM Lamp Size: 1324*85*100mm
BST-B113	Cree 10*1W			US\$7.00	QTY: 20 PCS/CTN G.W.: .0.45KG/PCS Box Size: 29.5*8*5.5cm Ctn Size:60.6*17.4*29cm Lamp Size:227*20*36mm
BST-B114	Cree 20*1W			US\$12.00	QTY: 20 PCS/CTN G.W.: .0.7KG/PCS Box Size: 49.5*8*5.5CM CtnSize:100.6*174.4*29cm Lamp Size:427*20*36mm
BST-B115	Cree 30*1W		1.10W each Cree LED 2.Operating Voltage: 10-30 DC; 3.Current draw change with your working Voltage and the power 4.Waterproof rate: IP 67; 5.Color Temperature: 6000K; 6.Beam: Spot beam 7.Body Color: Black	US\$16.00	QTY: 20 PCS/CTN G.W.: .0.9KG/PCS Box Size: 69.5*8*5.5CM Ctn Size:140.6*17.4*29CM Lamp Size:627*20*36mm
BST-B116	Cree 40*1W		8.Material: Diecast aluminum housing; 9.Lens material:MINI 3D PC 10.Mounting Bracket:Stainless steel bracket 11.Life time:50000+ hour 12.parts as bellow picture:	US\$20.00	QTY: 20 PCS/CTN G.W.: .1.2KG/PCS Box Size: 89.5*8*5.5CM Ctn Size: 91.3*17.4*29CM Lamp Size:827*20*36mm
BST-B117	Cree 50*1W			US\$25.00	QTY: 20 PCS/CTN G.W.: .1.4KG/PCS Box Size: 109.5*8*5.5CM Ctn Size:111.3*17.4*29CM Lamp Size:1027*20*36mm
BST-B118	Cree 60*1W			US\$30.00	QTY: 20 PCS/CTN G.W.: .1.4KG/PCS Box Size: 129.5*8*5.5CM Ctn Size:131.3*17.4*29CM Lamp Size:1227*20*36mm
BST-B001	Epistar 36W 7.5"			US\$13.00	QTY:6pcs/ctn G.W.: 1.43kg/pcs G.W.:.9.1kg/ctn Ctn size:32.5*28*43cm
BST-B002	Epistar 72W 13.5"			US\$21.00	QTY: 6pcs/ctn G.W.: 2.29kg/pcs G.W.:.13.77kg/ctn Ctn size:48*28*42cm
BST-B003	Epistar 120W 21.5"		1.3W each Epistar LED 2.Operating Voltage: 10-30 DC; 3.Current draw change with your working Voltage and the power 4.Waterproof rate: IP 67; 5.Color Temperature: 6000K; 6.Beam: Spot beam ,Flood beam. Combo beam, 60 / 30 degree 7.Body Color: Black, White;	US\$30.00	QTY: 6pcs/ctn G.W.: 3.29kg/pcs G.W.:.20.38kg/ctn Ctn size:68.5*28*43cm
BST-B004	Epistar 180W 31.5"		8.Material: Diecast aluminum housing; 9.Lens material:PC 10.Mounting Bracket:Stainless steel bracket 11.Life time:50000+ hour 12.parts as bellow picture:	US\$40.00	QTY: 4pcs/ctn G.W.: 4.45kg/pcs G.W.:.18.99kg/ctn Ctn size:93*28*26.5cm
BST-B005	Epistar 240W 41.5"			US\$52.00	QTY: 4pcs/ctn G.W.: 5.84kg/pcs G.W.:.24.29kg/ctn Ctn size:119*27.5*28cm
BST-B006	Epistar 300W 51.5"			US\$66.00	QTY: 4pcs/ctn G.W.: 7.12kg/pcs G.W.:.29.69kg/ctn Ctn size:145*28*28.5cm
BST-B007	Epistar 36W 7.5" Screw Version			US\$14.00	QTY: 6pcs/ctn G.W.: 1.43kg/pcs G.W.:.9.1kg/ctn Ctn size:32.5*28*43cm


BST-B008	Epistar 72W 13.5" Screw Version			US\$20.00	QTY: 6pcs/ctn G.W: 2.29kg/pcs G.W.:13.77kg/ctn Ctn size:48*28*42cm
BST-B009	Epistar 120W 21.5" Screw Version			US\$32.00	QTY: 6pcs/ctn G.W: 3.29kg/pcs G.W.:20.38kg/ctn Ctn size:68.5*28*43cm
BST-B010	Epistar 180W 31.5" Screw Version			US\$48.00	QTY: 4pcs/ctn G.W: 4.45kg/pcs G.W.:18.99kg/ctn Ctn size:93*28*26.5cm
BST-B011	Epistar 240W 41.5" Screw Version			US\$78.50	QTY: 4pcs/ctn G.W: 5.84kg/pcs G.W.:24.29kg/ctn Ctn size:119*27.5*28cm
BST-B012	Epistar 288W 49.5" Screw Version			US\$66.00	QTY: 4pcs/ctn G.W: 6.9kg/pcs G.W.:27.5kg/ctn Ctn size:132*28*28.5cm
BST-B013	Epistar 300W 51.5" Screw Version			US\$62.00	QTY: 4pcs/ctn G.W: 7.12kg/pcs G.W.:29.69kg/ctn Ctn size:145*28*28.5cm
BST-B014	CREE 36W 7.5" Screw Version			US\$18.00	QTY: 6pcs/ctn G.W: 1.43kg/pcs G.W.:9.1kg/ctn Ctn size:32.5*28*43cm
BST-B015	CREE 72W 13.5" Screw Version			US\$28.00	QTY: 6pcs/ctn G.W: 2.29kg/pcs G.W.:13.77kg/ctn Ctn size:48*28*42cm
BST-B016	CREE 120W 21.5" Screw Version			US\$42.00	QTY: 6pcs/ctn G.W: 3.29kg/pcs G.W.:20.38kg/ctn Ctn size:68.5*28*43cm
BST-B017	CREE 180W 31.5" Screw Version			US\$62.00	QTY: 4pcs/ctn G.W: 4.45kg/pcs G.W.:18.99kg/ctn Ctn size:93*28*26.5cm
BST-B018	CREE 240W 41.5" Screw Version			US\$80.00	QTY: 4pcs/ctn G.W: 5.84kg/pcs G.W.:24.29kg/ctn Ctn size:119*27.5*28cm
BST-B019	CREE 288W 49.5" Screw Version			US\$94.00	QTY: 4pcs/ctn G.W: 6.9kg/pcs G.W.:27.5kg/ctn Ctn size:132*28*28.5cm
BST-B020	CREE 300W 51.5" Screw Version			US\$98.00	QTY: 4pcs/ctn G.W: 7.12kg/pcs G.W.:29.69kg/ctn Ctn size:145*28*28.5cm
BST-B021	CREE 120W 21.5" Bent Screw Version			US\$38.00	QTY:6PCS/CTN G.W:3.5KG/PCS G.W.:15KG/CTN Ctn Size:70*29*45.5cm
BST-B022	CREE 180W 31.5" Bent Screw Version			US\$50.00	QTY:4PCS/CTN G.W: 4.5KG/PCS G.W.:19.5KG/CTN Ctn Size:93.5*28*31cm
BST-B023	CREE 240W 41.5" Bent Screw Version			US\$70.00	QTY:4PCS/CTN G.W: 5.6KG/PCS G.W.:24.5KG/CTN Ctn Size:120*39*29cm
BST-B024	CREE 288W 50" Bent Screw Version			US\$76.00	QTY: 4PCS/CTN G.W: 6.8KG/PCS G.W.:30KG/CTN Ctn Size:145*27.5*28CM
BST-B025	CREE 300W 52" Bent Screw Version			US\$80.00	QTY:4PCS/CTN G.W: 6.9KG/PCS G.W.:30KG/CTN Ctn Size:138*41*28cm

1.3W each Epistar LED  
2.Operating Voltage: 10-30 DC;  
3.Current draw change with your working Voltage and the power  
4.Waterproof rate: IP 67;  
5.Color Temperature: 6000K;  
6.Beam: Spot beam ,Flood beam.  
Combo beam, 60 / 30 degree  
7.Body Color: Black, White;  
8.Material: Diecast aluminum housing;  
9.Lens material:PC,3D  
10.Mounting Bracket:Stainless steel bracket  
11.Life time:50000+ hour  
12.parts as bellow picture:

1.3W each CREE LED  
2.Operating Voltage: 10-30 DC;  
3.Current draw change with your working Voltage and the power  
4.Waterproof rate: IP 67;  
5.Color Temperature: 6000K;  
6.Beam: Spot beam ,Flood beam.  
Combo beam, 60 / 30 degree  
7.Body Color: Black, White;  
8.Material: Diecast aluminum housing;  
9.Lens material:PC,3D  
10.Mounting Bracket:Stainless steel bracket  
11.Life time:50000+ hour  
12.parts as bellow picture:

BST-B026	Epistar 120W 21.5" Bent Screw Version		<p>1.3W each CREE LED  2.Operating Voltage: 10-30 DC;  3.Current draw change with your working Voltage and the power  4.Waterproof rate: IP 67;  5.Color Temperature: 6000K;  6.Beam: Spot beam ,Flood beam. Combo beam, 60 / 30 degree  7.Body Color: Black, White;  8.Material: Diecast aluminum housing;  9.Lens material:PC,3D  10.Mounting Bracket:Stainless steel bracket  11.Life time:50000+ hour  12.parts as bellow picture:</p>	US\$32.00	QTY:6PCS/CTN G.W.:3.5KG/PCS G.W.:15KG/CTN Ctn Size:70*29*45.5cm
BST-B027	Epistar 180W 31.5" Bent Screw Version			US\$44.00	QTY:4PCS/CTN G.W.: 4.5KG/PCS G.W.:19.5KG/CTN Ctn Size:93.5*28*31cm
BST-B028	Epistar 240W 41.5" Bent Screw Version			US\$60.00	QTY:4PCS/CTN G.W.: 5.6KG/PCS G.W.:24.5KG/CTN Ctn Size:120*39*29cm
BST-B029	Epistar 288W 50" Bent Screw Version			US\$72.00	QTY: 4PCS/CTN G.W.: 6.8KG/PCS G.W.:30KG/CTN Ctn Size:145*27.5*28CM
BST-B030	Epistar 300W 52" Bent Screw Version			US\$76.00	QTY:4PCS/CTN G.W.: 6.9KG/PCS G.W.:30KG/CTN Ctn Size:138*41*28cm
BST-B031	20W/2pcs*10w CREE		<p>1.Operating Voltage: 10-45 DC;  2.Current draw change with your working Voltage and power  3.Waterproof rate: IP 67;  4.Color Temperature: 6000K;  5.Beam: Spot beam ,Flood beam. Combo beam  6.Body Color: Black,  7.Material: Diecast aluminum housing;  8.Lens material:PC  9.Mounting Bracket:Stainless steel bracket  10.mounting brackets on the bottom,screws all around the housing  11.Life time:50000+ hour  12.parts as bellow pictures</p>	US\$18.00	Size:130*73*107MM QTY: 8PCS/CTN G.W.: 9KG/CTN Ctn Size:54*26*26CM
BST-B032	80W/8pcs*10w CREE			US\$28.00	Size:430*73*107MM QTY: 4PCS/CTN G.W.: 11.5KG/CTN Ctn Size:430*73*107MM
BST-B033	120W/12pcs*10w CREE			US\$48.00	Size:630*73*107MM QTY: 4PCS/CTN G.W.: 15KG/CTN Ctn Size:70*26*26MM
BST-B034	180W/18pcs*10w CREE			US\$60.00	Size:930*73*107MM QTY: 4PCS/CTN G.W.: 34KG/CTN Ctn Size:104*26*26MM
BST-B035	CREE 40W 12"			US\$18.00	Ctn Size: 42.5*23*42cm QTY: 6PCS/CTN G.W.: 1.3KG/PCS
BST-B036	CREE 80W 20.6"		<p>1.5W each CREE LED  2.Operating Voltage: 10-30V DC;  3.Current draw change with your working Voltage and power  4.Waterproof rate: IP 67;  5.Color Temperature: 6000K;  6.Beam: Spot beam ,Flood beam. Combo beam  7.Body Color: Black,  8.Material: Diecast aluminum housing;  9.Lens material:PC  10.Mounting Bracket:Stainless steel bracket  11.Life time:50000+ hrs</p>	US\$26.00	Ctn Size: 62*23*42cm QTY: 6PCS/CTN G.W.: .205KG/PCS
BST-B037	CREE 120W 28.6"			US\$46.00	Ctn Size: 82.5*23*42cm QTY: 6PCS/CTN G.W.: .275KG/PCS G.W.:/CTN
BST-B038	CREE 160W 36.6"			US\$58.00	Ctn Size: 103*23*29cm QTY: 6PCS/CTN G.W.: .35KG/PCS
BST-B039	CREE 200W 44.7"			US\$72.00	Ctn Size: 123*23*29cm QTY: 6PCS/CTN G.W.: .43KG/PCS
BST-B040	CREE 240W 52.7"			US\$74.00	Ctn Size: 133*23*29cm QTY: 6PCS/CTN G.W.: .5KG/PCS
BST-B041	CREE 20W 4"		<p>QTY: 10PCS/CTN G.W.: 1.02KG/PCS G.W.:11.46KG/CTN CtnSize: 72*26.5*33.8CM</p>	US\$16.00	
BST-B042	CREE 40W 8"			US\$20.00	QTY: 6PCS/CTN G.W.:1.66KG/PCS G.W.:10.1KG/CTN CtnSize: 35.6*29.4*50CM
BST-B043	CREE 60W 12"			US\$28.00	QTY: 6PCS/CTN G.W.:2.16KG/PCS G.W.:13.56KG/CTN CtnSize: 43.5*29.4**38CM

BST-B044	CREE 80W 16"		<p>1. Operating Voltage: 10-45 DC;  2. Current draw change with your working Voltage and power;  3. Waterproof rate: IP 67;  4. Color Temperature: 6000K;  5. Beam: Spot beam, Flood beam, Combo beam;  6. Body Color: Black;  7. Material: Diecast aluminum housing;  8. Lens material: PC ;  9. Mounting Bracket: Stainless steel bracket;  10. mounting brackets on the bottom;  11. Life time: 50000+ hour;  12. parts as bellow pictures:</p>	US\$33.00	QTY: 6PCS/CTN G.W.:2.71KG/PCS G.W.:.17.11KG/CTN CtnSize: 53.4*29.4**50CM	
BST-B045	CREE 120W 23"			US\$46.00	QTY: 6PCS/CTN G.W.:3.76KG/PCS G.W.:.23.57KG/CTN CtnSize: 71.4*29.4**50CM	
BST-B046	CREE 160W 29"			US\$58.00	QTY: 4PCS/CTN G.W.:4.81KG/PCS G.W.:.20.42KG/CTN CtnSize: 93*28*28CM	
BST-B047	CREE 180W 33"			US\$60.00	QTY: 4PCS/CTN G.W.:4.81KG/PCS G.W.:.20.42KG/CTN CtnSize: 93*28*28CM	
BST-B048	CREE 200W 37"			US\$70.00	QTY: 4PCS/CTN G.W.:5.9KG/PCS G.W.:.24.7KG/CTN CtnSize: 107.4*29.4**33.8CM	
BST-B049	CREE 260W 47"		US\$90.00	QTY: 4PCS/CTN G.W.:8KG/PCS G.W.:.33.54KG/CTN CtnSize: 132.4*29.4**33.8CM		
BST-B050	CREE 18W 4"		<p>1.3W each CREE LED  2. Operating Voltage: 10-30V DC;  3. Current draw change with your working Voltage and power  4. Waterproof rate: IP 67;  5. Color Temperature: 6000K;  6. Beam: Spot beam (20 degree) ,Flood beam(40 degree) , Combo beam(40+20 degree)  7. Body Color: Black,  8. Material: Diecast aluminum housing;  9. Lens material: PC  10. Mounting Bracket: Stainless steel bracket  11. 2 mounting brackets on the bottom, screws all around the housing  12. Life time: 50000+ hours  13. parts as bellow picture:</p>	US\$8.00	Ctn Size: 32.7*29*47CM QTY: 20PCS/CTN G.W.:.14.4KG/CTN	
BST-B051	CREE 36W 7"			US\$14.00	Ctn Size: 32.7*29*47CM QTY: 6PCS/CTN G.W.:.6.8KG/CTN	
BST-B052	CREE 54W 12"			US\$20.00	Ctn Size: 45*37*23.5CM QTY: 6PCS/CTN G.W.:.12KG/CTN	
BST-B053	CREE 72W 13.5"			US\$26.00	Ctn Size: 48*28*42cm QTY: 6PCS/CTN G.W.:.11.2KG/CTN	
BST-B054	CREE 108W 17"			US\$26.00	Ctn Size: 57*30*40cm QTY: 6PCS/CTN G.W.:.14.64KG/CTN	
BST-B055	CREE 126W 20"			US\$36.00	Ctn Size: 68.5*28*42 cm 6PCS/CTN G.W.:.16.86KG/CTN	
BST-B056	CREE 180W 28"			US\$42.00	Ctn Size: 93*28*26.5cm QTY: 4PCS/CTN G.W.:.15.32KG /CTN	
BST-B057	CREE 234W 36"			US\$52.00	Ctn Size: 106*30*27cm QTY: 4PCS/CTN G.W.:.19KG/CTN	
BST-B058	CREE 288W 43"			US\$60.00	Ctn Size: 126.2*30*27cm QTY: 4PCS/CTN G.W.:.23KG/CTN	
BST-B059	36W Dual Colors 7.5"				US\$30.00	QTY: 6PCS/CTN G.W.: 1.43KG/PCS G.W.:.9.1KG/CTN Ctn Size: 32.5*28*43CM
BST-B060	72W Dual Colors 13.5"				US\$34.00	QTY: 6PCS/CTN G.W.: 2.29KG/PCS G.W.:.13.77KG/CTN Ctn Size: 48*28*42CM
BST-B061	120W Dual Colors 21.5"				US\$50.00	QTY: 6PCS/CTN G.W.: 3.29KG/PCS G.W.:.20.38KG/CTN Ctn Size: 68.5*28*43CM

BST-B062	180W Dual Colors 31.5"		3000K, Double Color (Yellow and white) Strobeflash 6. Beam: Spot beam ,Flood beam. 7. Body Color: Black, White; 8. Material: Diecast aluminum housing; 9. Lens material: PC 10. Mounting Bracket: Stainless steel bracket 11. Life time: 50000+ hour 12. parts as bellow picture:	US\$72.00	QTY: 4PCS/CTN G.W: 4.45KG/PCS G.W.:18.99KG/CTN Ctn Size:93*28*26.5CM
BST-B063	240W Dual Colors 41.5"			US\$90.00	QTY: 4PCS/CTN G.W: 5.84KG/PCS G.W.:24.29KG/CTN Ctn Size:119*27.5*28CM
BST-B064	300W Dual Colors 51.5"			US\$110.00	QTY: 4PCS/CTN G.W: 7.12KG/PCS G.W.:29.69KG/CTN Ctn Size:145*28*28.5CM
BST-B065	180W RGB Strobe 31.5"			US\$12,074.00	QTY: 4PCS/CTN G.W:4.45KG/PCS G.W.:18.99KG/CTN Ctn Size:93*28*26.5CM"
BST-B066	240W RGB Strobe 41.5"			US\$96.00	QTY: 4PCS/CTN G.W: 5.84KG/PCS G.W.:24.29KG/CTN Ctn Size:119*27.5*28CM
BST-B067	288W RGB Strobe 50"		 	US\$110.00	QTY: 4PCS/CTN G.W: 6.9KG/PCS G.W.:29.69KG/CTN Ctn Size:132*28*28.5CM
BST-B068	300W RGB Strobe 52"		Function: Normal White, Super White, White Strobe, Red and Blue Strobe, R/Y/B Strobe	US\$114.00	QTY: 4PCS/CTN G.W:7.12KG/PCS G.W.:29.69KG/CTN Ctn Size:145*28*28.5CM
BST-B069	36W /12pcs*3w CREE 4D 7.5"			US\$18.00	QTY: 6PCS/CTN G.W: 1.43KG/PCS G.W.:9.1KG/CTN Ctn Size:32.5*28*43CM
BST-B070	72W /24pcs*3w CREE 4D 13.5"			US\$30.00	QTY: 6PCS/CTN G.W: 2.29KG/PCS G.W.:13.77KG/CTN Ctn Size:48*28*42CM
BST-B071	120W /40pcs*3w CREE 4D 21.5"			US\$44.00	QTY: 6PCS/CTN G.W: 3.29KG/PCS G.W.:20.38KG/CTN Ctn Size:68.5*28*43CM
BST-B072	180W /60pcs*3w CREE 4D 31.5"			US\$62.00	QTY: 4PCS/CTN G.W: 4.45KG/PCS G.W.:18.99KG/CTN Ctn Size:93*28*26.5CM
BST-B073	240W /80pcs*3w CREE 4D 41.5"			US\$120.00	QTY: 4PCS/CTN G.W: 5.84KG/PCS G.W.:24.29KG/CTN Ctn Size:119*27.5*28CM
BST-B074	288W /96pcs*3w CREE 4D 50"		1.3W each CREE LED 2. Operating Voltage: 10-30 DC; 3. Current draw change with your working Voltage and the power 4. Waterproof rate: IP 67; 5. Color Temperature: 6000K; 6. Beam: Spot beam, Flood beam. 7. Body Color: Black, White; 8. Material: Diecast aluminum housing; 9. Lens material: PC, 4D 10. Mounting Bracket: Stainless steel bracket 11. Life time: 50000+ hour 12. parts as bellow picture:	US\$82.00	QTY: 4PCS/CTN G.W: KG/PCS G.W.:KG/CTN Ctn Size:CM
BST-B075	300W /100pcs*3w CREE 4D 52"			US\$105.00	QTY: 4PCS/CTN G.W: 7.12KG/PCS G.W.:29.69KG/CTN Ctn Size:145*28*28.5CM
BST-B076	120W /40pcs*3w CREE 4D 22" Bent Version			US\$48.00	QTY: 6PCS G.W: 3.5KG/PCS G.W.:22KG/CTN Ctn Size:70*29*45.5CM
BST-B077	180W /60pcs*3w CREE 4D 32" Bent Version			US\$68.00	QTY: 4PCS G.W:4.5KG/PCS G.W.:19.5KG/CTN Ctn Size:93.5*28*31
BST-B078	240W /80pcs*3w CREE 4D 42" Bent Version			US\$88.00	QTY: 4PCS G.W: 5.6KG/PCS G.W.:24.5KG/CTN Ctn Size:114*39*29

BST-B079	288W /96pcs*3w CREE 4D 50" Bent Version		<p>1. 3W each CREE LED 2. Voltage: 9-32V 3. Current draw change with your working Voltage and power 4. Beam: Pencil beam, Flood beam 5. LED color temperature: 5000K, 6500K 6. Working life: 50000 hours 7. Waterproof rate: IP67 8. Working temperature: -40~ 85°C 9. Material: 6063 aluminum profile, stainless steel bracket, PC Lens.</p>	US\$106.00	QTY: 4PCS G.W: 6.7KG/PCS G.W.:29.5KG/CTN Ctn Size:135*39*27
BST-B080	300W /100pcs*3w CREE 4D 52" Bent Version			US\$108.00	QTY: 4PCS G.W: 6.9KG/PCS G.W.:30KG/CTN Ctn Size:135*39*27
BST-B081	36W/12pcs*3w CREE			US\$21.00	Size: 275*90*75mm QTY: 6PCS/CTN G.W: 8.6KG/CTN
BST-B082	72W/24pcs*3w CREE			US\$32.00	Size: 430*90*75mm QTY: 6PCS/CTN G.W: 13.8KG/CTN
BST-B083	108W/36pcs*3w CREE			US\$48.00	Size: 582*90*75mm QTY: 6PCS/CTN G.W: 19KG/CTN
BST-B084	126W/42pcs*3w CREE			US\$56.00	Size: 658*90*75mm QTY: 6PCS/CTN G.W: 21.6KG/CTN
BST-B085	180W/60pcs*3w CREE			US\$72.00	Size: 890*90*75mm QTY: 6PCS/CTN G.W: KG/CTN
BST-B086	234W/78pcs*3w CREE			US\$86.00	Size: 1118*90*75mm QTY: 6PCS/CTN G.W: 24.6KG/CTN
BST-B087	288W/96pcs*3w CREE		US\$108.00	Size: QTY: 6PCS/CTN G.W: 29.6KG/CTN	



Flood



Spot



Combo